



CERTIFICATE OF TESTING

For The Account Of: Bru Textiles
Satenrozen 2-A
B-2550 Kontich
Belgium
Contact: Brigitte Gyselink

DATE: February 27, 2007 CERTIFICATE (ORDER) NO.: 19978

CLIENT'S IDENTIFICATION: Web

12 SECOND VERTICAL FLAME APPLICATION AS PERR PART 25 APPENDIX F PART I (B) (4), AS SPECIFIED BY THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY (REVISED JAN. 1992)

Table with 5 columns: Specimen #, AFTERFLAME SECONDS, DRIP BURN SECONDS, CHAR LENGTH INCHES, MELT LENGTH INCHES. Rows include specimens 1-6 and averages for WARP and FILL.

TESTED ACCORDING TO:

- (x) Specifications Governing the Flammability of Drapery and Curtain Materials: Results are reported: (x) Initially () After 5 launderings () After 5 dry cleanings
() Specifications Governing the Flammability of Upholstered Chairs, Benches, Couches, Banquettes, and Solid Plastic Chairs, Method 2 - Component Testing
() Specifications Governing the Flammability of Plastic Laminate and Wood Veneer Furniture, Paragraph 2, Free Standing Office Partitions, Subparagraph (b) Insulation and Covering Materials.

TEST CRITERIA:

- 1) Average Burn Length cannot exceed 8 inches maximum average.
2) Average Flame Time after removal of the flame source may not exceed 15 seconds.
3) Drippings from the test specimen may not continue to flame for more than an average of 5 seconds after falling.
4) Melt Length , when observed, is reported, however, it is not factored into the acceptance criteria.

CONCLUSION: Based on the above Results and Test Criteria, the item tested is:

Complies X Does Not Comply

NOTE: IN CERTAIN INSTANCES A CERTAIN PORTION OF THE MATERIAL UNDER TEST WILL BE DAMAGED BY THE BURNING PROCESS AND A FURTHER DEGRADATION WILL BE ATTRIBUTABLE TO SHRINKAGE OR MELTING AWAY FROM IGNITING FLAME. THE ACTUAL DAMAGED DISTANCE ATTRIBUTABLE TO BURNING IS ENTERED IN THE BURN LENGTH COLUMN. THE MELTED/SHRINKAGE DISTANCE IS ENTERED IN THE MELT LENGTH COLUMN.

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified by the standards listed above.

Signed, Sallie Cotey - Lab Manager

Jennifer Friend

Applied Textiles Lab Services

Lab Technician